Food Establishment Inspection Report

Score: 97

Establishment Name: TACO BELL 18148 Establishment ID: 3034011095

Date: 03 / 15 / 2013 Status Code: A

Time In: 09 : 45 ⊗ am ○ pm Time Out: 12 : 55 ○ am ⊗ pm

Total Time: 3 hrs 10 minutes

Category #: IV

Establishment Type:

Instructions:

1. Fill in the information below for the Food Establishment:

Location Address: 1695 WESTBROOK PLAZA DR

City: WINSTON SALEM

State: NC Zip: 27103

County: 34 Forsyth

Permittee: BURGER BUSTERS INC

Telephone:

⊗ Inspection

○ Re-Inspection

Wastewater System:

⊗ Municipal/Community

○ On-Site System

Water Supply:

⊗ Municipal/Community

○ On-Site System

2. Click/fill the appropriate circle For "IN, OUT, N/A, N/O".

IN= In Compliance, OUT= Not in compliance
N/O=Not Observed, N/A= Not Applicable

3. Click/check the appropriate Boxes for CDI and/or R, VR.

CDI= Corrected During Inspection
R= Repeat Violation
VR= Verification Required

4. Continue to page 2 for "Good Retail Practices".

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.
Public Health Interventions: Control measures to prevent foodborne illness or injury.

	Compliance Status		OUT	CDI	R	VR
	Supervision .2652					
1	⊗ IN ○ OUT ○ N/A	PIC Present; Demonstration-Certification by accredited program and perform duties	○ 2 ○ 0	○	○	○
	Employee Health .2652					
2	⊗ IN ○ OUT	Management, employees knowledge; responsibilities & reporting	○ 3 ○ 1.5 ○ 0	○	○	○
3	⊗ IN ○ OUT	Proper use of reporting, restriction & exclusion	○ 3 ○ 1.5 ○ 0	○	○	○
	Good Hygienic Practices .2652, .2653					
4	⊗ IN ○ OUT	Proper eating, tasting, drinking, or tobacco use	○ 2 ○ 1 ○ 0	○	○	○
5	⊗ IN ○ OUT	No discharge from eyes, nose, and mouth	○ 1 ○ 0.5 ○ 0	○	○	○
	Preventing Contamination by Hands .2652, .2653, .2655, .2656					
6	⊗ IN ○ OUT	Hands clean & properly washed	○ 4 ○ 2 ○ 0	○	○	○
7	⊗ IN ○ OUT ○ N/O	No bare hand contact with RTE foods or pre-approved alternate procedure properly allowed	○ 3 ○ 1.5 ○ 0	○	○	○
8	○ IN ⊗ OUT	Handwashing sinks supplied & accessible	○ 2 ○ 1 ⊗ 0	⊗	○	○
	Approved Source .2653, .2655					
9	⊗ IN ○ OUT	Food obtained from approved source	○ 2 ○ 1 ○ 0	○	○	○
10	○ IN ○ OUT ⊗ N/O	Food received at proper temperature	○ 2 ○ 1 ○ 0	○	○	○
11	⊗ IN ○ OUT	Food in good condition, safe & unadulterated	○ 2 ○ 1 ○ 0	○	○	○
12	○ IN ○ OUT ⊗ N/A ○ N/O	Required records available: shellstock tags, parasite destruction	○ 2 ○ 1 ○ 0	○	○	○
	Protection from Contamination .2653, .2654					
13	⊗ IN ○ OUT ○ N/A ○ N/O	Food separated & protected	○ 3 ○ 1.5 ○ 0	○	○	○
14	○ IN ⊗ OUT	Food-contact surfaces: cleaned & sanitized	○ 3 ○ 1.5 ⊗ 0	⊗	○	○
15	⊗ IN ○ OUT	Proper disposition of returned, previously served, reconditioned, & unsafe food	○ 2 ○ 1 ○ 0	○	○	○
	Potentially Hazardous Food TIme/Temperature .2653					
16	⊗ IN ○ OUT ○ N/A ○ N/O	Proper cooking time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
17	○ IN ○ OUT ○ N/A ⊗ N/O	Proper reheating procedures for hot holding	○ 3 ○ 1.5 ○ 0	○	○	○
18	○ IN ○ OUT ○ N/A ⊗ N/O	Proper cooling time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
19	⊗ IN ○ OUT ○ N/A ○ N/O	Proper hot holding temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
20	⊗ IN ○ OUT ○ N/A ○ N/O	Proper cold holding temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
21	⊗ IN ○ OUT ○ N/A ○ N/O	Proper date marking & disposition	○ 3 ○ 1.5 ○ 0	○	○	○
22	○ IN ○ OUT ⊗ N/A ○ N/O	Time as a public health control: procedures & records	○ 2 ○ 1 ○ 0	○	○	○
	Consumer Advisory .2653					
23	○ IN ○ OUT ⊗ N/A	Consumer advisory provided for raw or undercooked foods	○ 1 ○ 0.5 ○ 0	○	○	○
	Highly Susceptible Populations .2653					
24	○ IN ○ OUT ⊗ N/A	Pasteurized foods used; prohibited foods not offered	○ 3 ○ 1.5 ○ 0	○	○	○
	Chemical .2653, .2657					
25	○ IN ○ OUT ⊗ N/A	Food additives: approved & properly used	○ 1 ○ 0.5 ○ 0	○	○	○
26	⊗ IN ○ OUT ○ N/A	Toxic substances properly identified stored, & used	○ 2 ○ 1 ○ 0	○	○	○
	Conformance with Approved Procedures .2653, .2654, .2658					
27	○ IN ○ OUT ⊗ N/A	Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	○ 2 ○ 1 ○ 0	○	○	○

Food Establishment Inspection Report, continued

Establishment Name: TACO BELL 18148 Establishment ID: 3034011095

Instructions, continued:

5. Click the appropriate circle to fill-in for "IN, OUT, N/A, N/O".

   IN= In Compliance, OUT= Not in compliance
   N/O=Not Observed, N/A= Not Applicable

6. Click or check the appropriate boxes for CDI and/or R, VR

   CDI= Corrected during Inspection
   R= Repeat Violation
   VR= Verification Required

   Calculate the "Total Deductions" and record.

7. Sign and complete "Signature Block".

8. Fill in "No. Of Risk Factor Intervention Violations" and "No. of Repeat Risk Factor Intervention Violations".

9. Continue to page 3 for "Comment Addendum to Food Establishment Inspection Report".

Signature Block:

First	Last
Anella	Jolly

Person in Charge (Print)

Person in Charge (Signature)

First	Last
Charles	Long

Regulatory Authority (Print)

Regulatory Authority (Signature)

Contact Number: (336) 703-3136

Verification Required Date: ___ / ___ / _____

REHS ID: 1158 - Long, C. Kentt

No. of Risk Factor/ Intervention Violations: 2

No. of Repeat Risk Factor/Intervention Violations: _____

Good Retail Practices

Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

	Compliance Status		OUT	CDI	R	VR
	Safe Food and Water	.2653, .2655, .2658				
28	⊗ IN ○ OUT	Pasteurized eggs used where required	○ 1 ○ 0.5 ○ 0	○	○	○
29	⊗ IN ○ OUT	Water and ice from approved source	○ 2 ○ 1 ○ 0	○	○	○
30	○ IN ○ OUT ⊗ N/A	Variance obtained for specialized processing methods	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Temperature Control	.2653, .2654				
31	⊗ IN ○ OUT	Proper cooling methods used; adequate equipment for temperature control	○ 1 ○ 0.5 ○ 0	○	○	○
32	⊗ IN ○ OUT ○ N/A ○ N/O	Plant food properly cooked for hot holding	○ 1 ○ 0.5 ○ 0	○	○	○
33	○ IN ○ OUT ⊗ N/A ○ N/O	Approved thawing methods used	○ 1 ○ 0.5 ○ 0	○	○	○
34	⊗ IN ○ OUT	Thermometers provided & accurate	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Identification	.2653				
35	⊗ IN ○ OUT	Food properly labeled: original container	○ 2 ○ 1 ○ 0	○	○	○
	Prevention of Food Contamination	.2652, .2653, .2654, .2656, .2657				
36	⊗ IN ○ OUT	Insects & rodents not present; no unauthorized animals	○ 2 ○ 1 ○ 0	○	○	○
37	⊗ IN ○ OUT	Contamination prevented during food preparation, storage & display	○ 2 ○ 1 ○ 0	○	○	○
38	⊗ IN ○ OUT	Personal cleanliness	○ 1 ○ 0.5 ○ 0	○	○	○
39	⊗ IN ○ OUT	Wiping cloths: properly used & stored	○ 1 ○ 0.5 ○ 0	○	○	○
40	⊗ IN ○ OUT	Washing fruits & vegetables	○ 1 ○ 0.5 ○ 0	○	○	○
	Proper Use of Utensils	.2653, .2654				
41	⊗ IN ○ OUT	In-use utensils: properly stored	○ 1 ○ 0.5 ○ 0	○	○	○
42	⊗ IN ○ OUT	Utensils, equipment & linens: properly stored, dried & handled	○ 1 ○ 0.5 ○ 0	○	○	○
43	○ IN ⊗ OUT	Single-use & single-service articles: properly stored & used	○ 1 ○ 0.5 ⊗ 0	○	○	○
44	⊗ IN ○ OUT	Gloves used properly	○ 1 ○ 0.5 ○ 0	○	○	○
	Utensils and Equipment	.2653, .2654, .2663				
45	○ IN ⊗ OUT	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	○ 2 ⊗ 1 ○ 0	○	⊗	○
46	○ IN ⊗ OUT	Warewashing facilities: installed, maintained, & used; test strips	○ 1 ⊗ 0.5 ○ 0	○	○	○
47	○ IN ⊗ OUT	Non-food contact surfaces clean	○ 1 ○ 0.5 ⊗ 0	○	○	○
	Physical Facilities	.2654, .2655, .2656				
48	⊗ IN ○ OUT	Hot & cold water available; adequate pressure	○ 2 ○ 1 ○ 0	○	○	○
49	○ IN ⊗ OUT	Plumbing installed; proper backflow devices	○ 2 ⊗ 1 ○ 0	○	⊗	○
50	⊗ IN ○ OUT	Sewage & waste water properly disposed	○ 2 ○ 1 ○ 0	○	○	○
51	⊗ IN ○ OUT	Toilet facilities: properly constructed, supplied & cleaned	○ 1 ○ 0.5 ○ 0	○	○	○
52	○ IN ⊗ OUT	Garbage & refuse properly disposed; facilities maintained	○ 1 ○ 0.5 ⊗ 0	○	○	○
53	○ IN ⊗ OUT	Physical facilities installed, maintained & clean	○ 1 ⊗ 0.5 ○ 0	○	⊗	○
54	○ IN ⊗ OUT	Meets ventilation & lighting requirements; designated areas used	○ 1 ○ 0.5 ⊗ 0	○	⊗	○
		Total Deductions:	3			

Comment Addendum to Food Establishment Inspection Report

Establishment Name: TACO BELL 18148

Establishment ID: 3034011095

Date: 03/15/2013

Status Code: A

Category #: IV

Email 1:

Email 2:

Email 3:

Location Address: 1695 WESTBROOK PLAZA DR

City: WINSTON SALEM State: NC

County: 34 Forsyth Zip: 27103

Wastewater System: ⊗ Municipal/Community ○ On-Site System

Water Supply: ⊗ Municipal/Community ○ On-Site System

Permittee: BURGER BUSTERS INC

Telephone:

Temperature Observations

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
wash water	utensil sink	93	shredded	top of make units	36	refried beans	hot holding	163
hot water	out of tap at utensil sink	164	diced	walk-in cooler	45	rice	hot holding	173
pico	top of make units	41	shredded	walk-in cooler	43	chicken	hot holding	150
bacon	top of make units	39	pico	walk-in cooler	39	rice	hot holding cabinet	144
diced	top of make units	39	taco meat	hot holding	177	nacho cheese	hot holding cabinet	162
shredded	top of make units	38	steak	hot holding	177	refried beans	hot holding cabinet	145
lettuce	top of make unit	32	chicken	hot holding	167			
guacamole	top of make unit	38	rice	hot holding	161			

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

8 Hand sink (near office) slow to drain. Hand sink in women's bathroom damaged (cracked and caulked in areas).

14 Cutting board (individual) stained and moldy, inside walk-in cooler (not used anymore). Manager disposed of cutting board.

43 Some single service cups overstacked in cup dispensers. Don't overstack cups or utilize plastic sleeve to cover rim of single service cups.

45 Doors damaged on one make unit (make line). Wire rack shelving worn, rusty and peeling, inside walk-in cooler and one air drying shelf. Counters worn and some cabinetry damaged. Prep sink drain leaks (need to repair external drain).

Comment Addendum to Food Establishment Inspection Report

Establishment Name: TACO BELL 18148 Establishment ID: 3034011095

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

46 Need to repair external drains on utensil sink (using single service lid to stop up sink basin).

47 Clean wire rack shelving (inside walk-in cooler), retherm unit, refrigeration gaskets, under self service drink station, etc.

49 Backflow prevention (vacuum breaker) needs to be after (not before cut off) the cut off on the open ended hose. Vacuum breakers installed are not rated for pressure applications.

52 Drain plug missing on recycling bin.

53 General floor and wall cleaning in areas (especially around utensil sink). Floor tiles damaged and grout missing in areas (mainly around utensil sink). Baseboard missing in men's bathroom, be sure to use coved tile baseboard in bathrooms. Drink line running across floor in one drive thru. Keep storage off floor (at least 6") in dining room closet (supplies, etc.). Remove excess utensils, etc. from walk-in cooler, if not needed.

54 Lights not working in areas (low over prep sink and inside walk-in coolers). Vent cover damaged (cover sitting on floor).

Comment Addendum to Food Establishment Inspection Report

Establishment Name: TACO BELL 18148 Establishment ID: 3034011095

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: TACO BELL 18148 Establishment ID: 3034011095

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell