Food Establishment Inspection Report

Score: 92.5

Establishment Name: ARBY S 1146 Establishment ID: 3034011166

Date: 05 / 02 / 2013 Status Code: A

Time In: 02 : 45 ○ am ⊗ pm Time Out: 05 : 20 ○ am ⊗ pm

Total Time: 2 hrs 35 minutes

Category #: II

Establishment Type: Fast Food Restaurant

Instructions:

1. Fill in the information below for the Food Establishment:

Location Address: 7819 N POINT BLVD

City: WINSTON SALEM

State: NC Zip: 27106

County: 34 Forsyth

Permittee: RTM OPERATING COMPANY

Telephone:

⊗ Inspection

○ Re-Inspection

Wastewater System:

⊗ Municipal/Community

○ On-Site System

Water Supply:

⊗ Municipal/Community

○ On-Site System

2. Click/fill the appropriate circle For "IN, OUT, N/A, N/O".

IN= In Compliance, OUT= Not in compliance
N/O=Not Observed, N/A= Not Applicable

3. Click/check the appropriate Boxes for CDI and/or R, VR.

CDI= Corrected During Inspection
R= Repeat Violation
VR= Verification Required

4. Continue to page 2 for "Good Retail Practices".

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.
Public Health Interventions: Control measures to prevent foodborne illness or injury.

	Compliance Status		OUT	CDI	R	VR
	Supervision .2652					
1	○ IN ⊗ OUT ○ N/A	PIC Present; Demonstration-Certification by accredited program and perform duties	○ 2 ⊗ 0	○	○	○
	Employee Health .2652					
2	⊗ IN ○ OUT	Management, employees knowledge; responsibilities & reporting	○ 3 ○ 1.5 ○ 0	○	○	○
3	⊗ IN ○ OUT	Proper use of reporting, restriction & exclusion	○ 3 ○ 1.5 ○ 0	○	○	○
	Good Hygienic Practices .2652, .2653					
4	⊗ IN ○ OUT	Proper eating, tasting, drinking, or tobacco use	○ 2 ○ 1 ○ 0	○	○	○
5	⊗ IN ○ OUT	No discharge from eyes, nose, and mouth	○ 1 ○ 0.5 ○ 0	○	○	○
	Preventing Contamination by Hands .2652, .2653, .2655, .2656					
6	⊗ IN ○ OUT	Hands clean & properly washed	○ 4 ○ 2 ○ 0	○	○	○
7	⊗ IN ○ OUT ○ N/O	No bare hand contact with RTE foods or pre-approved alternate procedure properly allowed	○ 3 ○ 1.5 ○ 0	○	○	○
8	⊗ IN ○ OUT	Handwashing sinks supplied & accessible	○ 2 ○ 1 ○ 0	○	○	○
	Approved Source .2653, .2655					
9	⊗ IN ○ OUT	Food obtained from approved source	○ 2 ○ 1 ○ 0	○	○	○
10	○ IN ○ OUT ⊗ N/O	Food received at proper temperature	○ 2 ○ 1 ○ 0	○	○	○
11	⊗ IN ○ OUT	Food in good condition, safe & unadulterated	○ 2 ○ 1 ○ 0	○	○	○
12	○ IN ○ OUT ⊗ N/A ○ N/O	Required records available: shellstock tags, parasite destruction	○ 2 ○ 1 ○ 0	○	○	○
	Protection from Contamination .2653, .2654					
13	○ IN ⊗ OUT ○ N/A ○ N/O	Food separated & protected	○ 3 ⊗ 1.5 ○ 0	⊗	○	○
14	○ IN ⊗ OUT	Food-contact surfaces: cleaned & sanitized	○ 3 ⊗ 1.5 ○ 0	⊗	○	○
15	⊗ IN ○ OUT	Proper disposition of returned, previously served, reconditioned, & unsafe food	○ 2 ○ 1 ○ 0	○	○	○
	Potentially Hazardous Food TIme/Temperature .2653					
16	○ IN ○ OUT ○ N/A ⊗ N/O	Proper cooking time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
17	○ IN ○ OUT ⊗ N/A ○ N/O	Proper reheating procedures for hot holding	○ 3 ○ 1.5 ○ 0	○	○	○
18	○ IN ○ OUT ○ N/A ⊗ N/O	Proper cooling time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
19	⊗ IN ○ OUT ○ N/A ○ N/O	Proper hot holding temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
20	○ IN ⊗ OUT ○ N/A ○ N/O	Proper cold holding temperatures	○ 3 ⊗ 1.5 ○ 0	⊗	○	○
21	○ IN ⊗ OUT ○ N/A ○ N/O	Proper date marking & disposition	○ 3 ○ 1.5 ⊗ 0	⊗	○	○
22	⊗ IN ○ OUT ○ N/A ○ N/O	Time as a public health control: procedures & records	○ 2 ○ 1 ○ 0	○	○	○
	Consumer Advisory .2653					
23	○ IN ○ OUT ⊗ N/A	Consumer advisory provided for raw or undercooked foods	○ 1 ○ 0.5 ○ 0	○	○	○
	Highly Susceptible Populations .2653					
24	○ IN ○ OUT ⊗ N/A	Pasteurized foods used; prohibited foods not offered	○ 3 ○ 1.5 ○ 0	○	○	○
	Chemical .2653, .2657					
25	○ IN ○ OUT ⊗ N/A	Food additives: approved & properly used	○ 1 ○ 0.5 ○ 0	○	○	○
26	⊗ IN ○ OUT ○ N/A	Toxic substances properly identified stored, & used	○ 2 ○ 1 ○ 0	○	○	○
	Conformance with Approved Procedures .2653, .2654, .2658					
27	○ IN ○ OUT ⊗ N/A	Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	○ 2 ○ 1 ○ 0	○	○	○

Food Establishment Inspection Report, continued

Establishment Name: ARBY S 1146 Establishment ID: 3034011166

Instructions, continued:

5. Click the appropriate circle to fill-in for "IN, OUT, N/A, N/O".

   IN= In Compliance, OUT= Not in compliance
   N/O=Not Observed, N/A= Not Applicable

6. Click or check the appropriate boxes for CDI and/or R, VR

   CDI= Corrected during Inspection
   R= Repeat Violation
   VR= Verification Required

   Calculate the "Total Deductions" and record.

7. Sign and complete "Signature Block".

8. Fill in "No. Of Risk Factor Intervention Violations" and "No. of Repeat Risk Factor Intervention Violations".

9. Continue to page 3 for "Comment Addendum to Food Establishment Inspection Report".

Signature Block:

First	*Last*
Anastasia	Grimett

Person in Charge (Print)

Person in Charge (Signature)

First	*Last*
Kenneth	Michaud

Regulatory Authority (Print)

REHS

Regulatory Authority (Signature)

Contact Number: (____) ____ - _____

Verification Required Date: ___ / ___ / _____

REHS ID: 2259 - Michaud, Kenneth

No. of Risk Factor/ Intervention Violations: 5

No. of Repeat Risk Factor/Intervention Violations: _____

Good Retail Practices

Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

	Compliance Status		OUT	CDI	R	VR
	Safe Food and Water	.2653, .2655, .2658				
28	⊗ IN ○ OUT	Pasteurized eggs used where required	○ 1 ○ 0.5 ○ 0	○	○	○
29	⊗ IN ○ OUT	Water and ice from approved source	○ 2 ○ 1 ○ 0	○	○	○
30	○ IN ○ OUT ⊗ N/A	Variance obtained for specialized processing methods	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Temperature Control	.2653, .2654				
31	⊗ IN ○ OUT	Proper cooling methods used; adequate equipment for temperature control	○ 1 ○ 0.5 ○ 0	○	○	○
32	○ IN ○ OUT ⊗ N/A ○ N/O	Plant food properly cooked for hot holding	○ 1 ○ 0.5 ○ 0	○	○	○
33	○ IN ○ OUT ○ N/A ⊗ N/O	Approved thawing methods used	○ 1 ○ 0.5 ○ 0	○	○	○
34	⊗ IN ○ OUT	Thermometers provided & accurate	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Identification	.2653				
35	⊗ IN ○ OUT	Food properly labeled: original container	○ 2 ○ 1 ○ 0	○	○	○
	Prevention of Food Contamination	.2652, .2653, .2654, .2656, .2657				
36	⊗ IN ○ OUT	Insects & rodents not present; no unauthorized animals	○ 2 ○ 1 ○ 0	○	○	○
37	⊗ IN ○ OUT	Contamination prevented during food preparation, storage & display	○ 2 ○ 1 ○ 0	○	○	○
38	⊗ IN ○ OUT	Personal cleanliness	○ 1 ○ 0.5 ○ 0	○	○	○
39	⊗ IN ○ OUT	Wiping cloths: properly used & stored	○ 1 ○ 0.5 ○ 0	○	○	○
40	⊗ IN ○ OUT	Washing fruits & vegetables	○ 1 ○ 0.5 ○ 0	○	○	○
	Proper Use of Utensils	.2653, .2654				
41	○ IN ⊗ OUT	In-use utensils: properly stored	○ 1 ⊗ 0.5 ○ 0	○	○	○
42	⊗ IN ○ OUT	Utensils, equipment & linens: properly stored, dried & handled	○ 1 ○ 0.5 ○ 0	○	○	○
43	○ IN ⊗ OUT	Single-use & single-service articles: properly stored & used	○ 1 ⊗ 0.5 ○ 0	○	○	○
44	⊗ IN ○ OUT	Gloves used properly	○ 1 ○ 0.5 ○ 0	○	○	○
	Utensils and Equipment	.2653, .2654, .2663				
45	○ IN ⊗ OUT	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	○ 2 ⊗ 1 ○ 0	○	○	○
46	⊗ IN ○ OUT	Warewashing facilities: installed, maintained, & used; test strips	○ 1 ○ 0.5 ○ 0	○	○	○
47	○ IN ⊗ OUT	Non-food contact surfaces clean	○ 1 ⊗ 0.5 ○ 0	○	○	○
	Physical Facilities	.2654, .2655, .2656				
48	⊗ IN ○ OUT	Hot & cold water available; adequate pressure	○ 2 ○ 1 ○ 0	○	○	○
49	○ IN ⊗ OUT	Plumbing installed; proper backflow devices	○ 2 ○ 1 ⊗ 0	⊗	○	○
50	⊗ IN ○ OUT	Sewage & waste water properly disposed	○ 2 ○ 1 ○ 0	○	○	○
51	⊗ IN ○ OUT	Toilet facilities: properly constructed, supplied & cleaned	○ 1 ○ 0.5 ○ 0	○	○	○
52	⊗ IN ○ OUT	Garbage & refuse properly disposed; facilities maintained	○ 1 ○ 0.5 ○ 0	○	○	○
53	○ IN ⊗ OUT	Physical facilities installed, maintained & clean	○ 1 ⊗ 0.5 ○ 0	○	○	○
54	⊗ IN ○ OUT	Meets ventilation & lighting requirements; designated areas used	○ 1 ○ 0.5 ○ 0	○	○	○
		Total Deductions:	7.5			

Comment Addendum to Food Establishment Inspection Report

Establishment Name: ARBY S 1146

Establishment ID: 3034011166

Date: 05/02/2013

Status Code: A

Category #: II

Email 1:

Email 2:

Email 3:

Location Address: 7819 N POINT BLVD

City: WINSTON SALEM State: NC

County: 34 Forsyth Zip: 27106

Wastewater System: ⊗ Municipal/Community ○ On-Site System

Water Supply: ⊗ Municipal/Community ○ On-Site System

Permittee: RTM OPERATING COMPANY

Telephone:

Temperature Observations

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Roast beef	Slicer	154	Cheese	Walk in cooler	38			
Sliced	Make unit	48						
Cut lettuce	Make unit	58	Wash solution	Three compartment sink	93			
Sliced cheese	Make unit	51	Quat sanitizer	Dispenser in ppm	200			
Salad	Lower make unit	45						
Chicken	Drawer	143						
Roast beef	Drawer	156						
Salad	Walk in cooler	41						

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

1 2-102.12 Certified Food Protection Manager - No manager on duty has ANSI approved food safety course certificate - managers must be ANSI approved food safety course certified by Jan 1, 2014

13 3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation - All pans in reach in freezer left open for use - make sure all pans for use are stored in a manner where food is protected such as having lids for food pans - manager had employee place lids on all pans

14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - Soda fountain nozzles, slicer components and a few pans in back storage area had either significant slime or food debris present - make sure to thoroughly clean and sanitize food contact surfaces as often as necessary so they are clean and free from debris - manager broke down soda fountain nozzles and slicer and had them cleaned and sanitized, also sent pans back to be rewashed and sanitized

20 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - Some items in make unit not holding temp - since no one could provide any time they were placed out, items thrown away - make sure all cold holding items are held no more than 45 deg F - will lower cold holding temp to 41 by Jan 1, 2019

Comment Addendum to Food Establishment Inspection Report

Establishment Name: ARBY S 1146 Establishment ID: 3034011166

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

21 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking - Cut lettuce has no date marking and cut meats have discard date only - all potentially hazardous ready to eat foods kept over 24 hours must be properly date marked by date prepared and date discarded and shall be kept no more than 4 days if held between 45 and 41 deg F or 7 days if held at 41 deg F or less

41 3-304.12 In-Use Utensils, Between-Use Storage - Ice scoop found being stored laying in ice - make sure if storing scoop in ice that handle is sticking out of ice and not making contact with product

43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing - Single service cups stored with sleeves pulled down - make sure all single service cups are either stored with sleeves pulled up or in proper dispenser where lip of top cup is protected from cross contamination

45 4-501.11 Good Repair and Proper Adjustment-Equipment - Replace any torn cooler/freezer gakets; Wrap walk in cooler A/C condensate line with Pro-Jack so line is properly insulated and not leaking condensate on food boxes; Visible leak as significant ice build-up under condensate line in walk in freezer; Repair switch on drive-thru soda fountain so when ice bin lid is opened, machine shuts off; Replace broken ice machine motor door as it has a significant crack/hole at base; Peeling racks - have redipped or replaced so racks are easily cleanable and in good repair

47 4-602.13 Nonfood Contact Surfaces - Detailed cleaning needed on and around equipment - especially in condiment bins

49 5-202.14 Backflow Prevention Device, Design Standard - Current backflow prevention device is rated for atmospheric pressure and sprayer is at end of hose - make sure to either remove sprayer when not in use or have backflow prevention device rated for constant pressure between hose and faucet - manager removed sprayer

53 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - Repair walk in freezer floor as water has frozen under floor and broken floor tiles; A few baseboard tiles have broken loose throughout facility; Repair hole in drywall in dry goods room

Comment Addendum to Food Establishment Inspection Report

Establishment Name: ARBY S 1146 Establishment ID: 3034011166

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: ARBY S 1146 Establishment ID: 3034011166

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell