Food Establishment Inspection Report

Score: 97.5

Establishment Name: SUBWAY - COLLEGE PLAZA

Establishment ID: 3034011655

Date: 02 / 05 / 2013 Status Code: A

Time In: 02 : 05 ○ am ⊗ pm Time Out: 4 : 25 ○ am ⊗ pm

Total Time: 2 hrs 20 minutes

Category #: III

Establishment Type:

Instructions:

1. Fill in the information below for the Food Establishment:

Location Address: 2808 UNIVERSITY PKWY

City: WINSTON-SALEM

State: NC Zip: 27106

County: 34 Forsyth

Permittee: GURU 1 INC

Telephone:

⊗ Inspection

○ Re-Inspection

Wastewater System:

⊗ Municipal/Community

○ On-Site System

Water Supply:

⊗ Municipal/Community

○ On-Site System

2. Click/fill the appropriate circle For "IN, OUT, N/A, N/O".

IN= In Compliance, OUT= Not in compliance
N/O=Not Observed, N/A= Not Applicable

3. Click/check the appropriate Boxes for CDI and/or R, VR.

CDI= Corrected During Inspection
R= Repeat Violation
VR= Verification Required

4. Continue to page 2 for "Good Retail Practices".

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.
Public Health Interventions: Control measures to prevent foodborne illness or injury.

	Compliance Status		OUT	CDI	R	VR
	Supervision .2652					
1	⊗ IN ○ OUT ○ N/A	PIC Present; Demonstration-Certification by accredited program and perform duties	○ 2 ○ 0	○	○	○
	Employee Health .2652					
2	○ IN ⊗ OUT	Management, employees knowledge; responsibilities & reporting	○ 3 ○ 1.5 ⊗ 0	⊗	○	○
3	⊗ IN ○ OUT	Proper use of reporting, restriction & exclusion	○ 3 ○ 1.5 ○ 0	○	○	○
	Good Hygienic Practices .2652, .2653					
4	⊗ IN ○ OUT	Proper eating, tasting, drinking, or tobacco use	○ 2 ○ 1 ○ 0	○	○	○
5	⊗ IN ○ OUT	No discharge from eyes, nose, and mouth	○ 1 ○ 0.5 ○ 0	○	○	○
	Preventing Contamination by Hands .2652, .2653, .2655, .2656					
6	⊗ IN ○ OUT	Hands clean & properly washed	○ 4 ○ 2 ○ 0	○	○	○
7	⊗ IN ○ OUT ○ N/O	No bare hand contact with RTE foods or pre-approved alternate procedure properly allowed	○ 3 ○ 1.5 ○ 0	○	○	○
8	⊗ IN ○ OUT	Handwashing sinks supplied & accessible	○ 2 ○ 1 ○ 0	○	○	○
	Approved Source .2653, .2655					
9	⊗ IN ○ OUT	Food obtained from approved source	○ 2 ○ 1 ○ 0	○	○	○
10	○ IN ○ OUT ⊗ N/O	Food received at proper temperature	○ 2 ○ 1 ○ 0	○	○	○
11	⊗ IN ○ OUT	Food in good condition, safe & unadulterated	○ 2 ○ 1 ○ 0	○	○	○
12	○ IN ○ OUT ⊗ N/A ○ N/O	Required records available: shellstock tags, parasite destruction	○ 2 ○ 1 ○ 0	○	○	○
	Protection from Contamination .2653, .2654					
13	⊗ IN ○ OUT ○ N/A ○ N/O	Food separated & protected	○ 3 ○ 1.5 ○ 0	○	○	○
14	○ IN ⊗ OUT	Food-contact surfaces: cleaned & sanitized	○ 3 ⊗ 1.5 ○ 0	⊗	○	○
15	⊗ IN ○ OUT	Proper disposition of returned, previously served, reconditioned, & unsafe food	○ 2 ○ 1 ○ 0	○	○	○
	Potentially Hazardous Food TIme/Temperature .2653					
16	○ IN ○ OUT ⊗ N/A ○ N/O	Proper cooking time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
17	○ IN ○ OUT ○ N/A ⊗ N/O	Proper reheating procedures for hot holding	○ 3 ○ 1.5 ○ 0	○	○	○
18	○ IN ○ OUT ○ N/A ⊗ N/O	Proper cooling time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
19	⊗ IN ○ OUT ○ N/A ○ N/O	Proper hot holding temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
20	⊗ IN ○ OUT ○ N/A ○ N/O	Proper cold holding temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
21	⊗ IN ○ OUT ○ N/A ○ N/O	Proper date marking & disposition	○ 3 ○ 1.5 ○ 0	○	○	○
22	○ IN ○ OUT ⊗ N/A ○ N/O	Time as a public health control: procedures & records	○ 2 ○ 1 ○ 0	○	○	○
	Consumer Advisory .2653					
23	○ IN ○ OUT ⊗ N/A	Consumer advisory provided for raw or undercooked foods	○ 1 ○ 0.5 ○ 0	○	○	○
	Highly Susceptible Populations .2653					
24	○ IN ○ OUT ⊗ N/A	Pasteurized foods used; prohibited foods not offered	○ 3 ○ 1.5 ○ 0	○	○	○
	Chemical .2653, .2657					
25	○ IN ○ OUT ⊗ N/A	Food additives: approved & properly used	○ 1 ○ 0.5 ○ 0	○	○	○
26	○ IN ⊗ OUT ○ N/A	Toxic substances properly identified stored, & used	○ 2 ○ 1 ⊗ 0	⊗	○	○
	Conformance with Approved Procedures .2653, .2654, .2658					
27	⊗ IN ○ OUT ○ N/A	Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	○ 2 ○ 1 ○ 0	○	○	○

Food Establishment Inspection Report, continued

Establishment Name: SUBWAY - COLLEGE PLAZA Establishment ID: 3034011655

Instructions, continued:

5. Click the appropriate circle to fill-in for "IN, OUT, N/A, N/O".

   IN= In Compliance, OUT= Not in compliance
   N/O=Not Observed, N/A= Not Applicable

6. Click or check the appropriate boxes for CDI and/or R, VR

   CDI= Corrected during Inspection
   R= Repeat Violation
   VR= Verification Required

   Calculate the "Total Deductions" and record.

7. Sign and complete "Signature Block".

8. Fill in "No. Of Risk Factor Intervention Violations" and "No. of Repeat Risk Factor Intervention Violations".

9. Continue to page 3 for "Comment Addendum to Food Establishment Inspection Report".

Signature Block:

X GRY
Person in Charge (Print)

X
Person in Charge (Signature)

Anthony Williams
Regulatory Authority (Print)

Regulatory Authority (Signature)

Contact Number: (____) ____ - _____

Verification Required Date: ___ / ___ / _____

REHS ID: 1846 - Williams, Tony

No. of Risk Factor/ Intervention Violations: 3

No. of Repeat Risk Factor/Intervention Violations: _____

Good Retail Practices

Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

	Compliance Status		OUT	CDI	R	VR
	Safe Food and Water	.2653, .2655, .2658				
28	⊗ IN ○ OUT	Pasteurized eggs used where required	○ 1 ○ 0.5 ○ 0	○	○	○
29	⊗ IN ○ OUT	Water and ice from approved source	○ 2 ○ 1 ○ 0	○	○	○
30	⊗ IN ○ OUT ○ N/A	Variance obtained for specialized processing methods	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Temperature Control	.2653, .2654				
31	⊗ IN ○ OUT	Proper cooling methods used; adequate equipment for temperature control	○ 1 ○ 0.5 ○ 0	○	○	○
32	⊗ IN ○ OUT ○ N/A ○ N/O	Plant food properly cooked for hot holding	○ 1 ○ 0.5 ○ 0	○	○	○
33	⊗ IN ○ OUT ○ N/A ○ N/O	Approved thawing methods used	○ 1 ○ 0.5 ○ 0	○	○	○
34	⊗ IN ○ OUT	Thermometers provided & accurate	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Identification	.2653				
35	⊗ IN ○ OUT	Food properly labeled: original container	○ 2 ○ 1 ○ 0	○	○	○
	Prevention of Food Contamination	.2652, .2653, .2654, .2656, .2657				
36	⊗ IN ○ OUT	Insects & rodents not present; no unauthorized animals	○ 2 ○ 1 ○ 0	○	○	○
37	⊗ IN ○ OUT	Contamination prevented during food preparation, storage & display	○ 2 ○ 1 ○ 0	○	○	○
38	⊗ IN ○ OUT	Personal cleanliness	○ 1 ○ 0.5 ○ 0	○	○	○
39	○ IN ⊗ OUT	Wiping cloths: properly used & stored	○ 1 ○ 0.5 ⊗ 0	○	○	○
40	⊗ IN ○ OUT	Washing fruits & vegetables	○ 1 ○ 0.5 ○ 0	○	○	○
	Proper Use of Utensils	.2653, .2654				
41	⊗ IN ○ OUT	In-use utensils: properly stored	○ 1 ○ 0.5 ○ 0	○	○	○
42	○ IN ⊗ OUT	Utensils, equipment & linens: properly stored, dried & handled	○ 1 ⊗ 0.5 ○ 0	○	○	○
43	⊗ IN ○ OUT	Single-use & single-service articles: properly stored & used	○ 1 ○ 0.5 ○ 0	○	○	○
44	⊗ IN ○ OUT	Gloves used properly	○ 1 ○ 0.5 ○ 0	○	○	○
	Utensils and Equipment	.2653, .2654, .2663				
45	○ IN ⊗ OUT	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	○ 2 ○ 1 ⊗ 0	○	○	○
46	⊗ IN ○ OUT	Warewashing facilities: installed, maintained, & used; test strips	○ 1 ○ 0.5 ○ 0	○	○	○
47	⊗ IN ○ OUT	Non-food contact surfaces clean	○ 1 ○ 0.5 ○ 0	○	○	○
	Physical Facilities	.2654, .2655, .2656				
48	⊗ IN ○ OUT	Hot & cold water available; adequate pressure	○ 2 ○ 1 ○ 0	○	○	○
49	○ IN ⊗ OUT	Plumbing installed; proper backflow devices	○ 2 ○ 1 ⊗ 0	○	○	○
50	⊗ IN ○ OUT	Sewage & waste water properly disposed	○ 2 ○ 1 ○ 0	○	○	○
51	○ IN ⊗ OUT	Toilet facilities: properly constructed, supplied & cleaned	○ 1 ○ 0.5 ⊗ 0	○	○	○
52	○ IN ⊗ OUT	Garbage & refuse properly disposed; facilities maintained	○ 1 ⊗ 0.5 ○ 0	○	○	○
53	○ IN ⊗ OUT	Physical facilities installed, maintained & clean	○ 1 ○ 0.5 ⊗ 0	○	○	○
54	⊗ IN ○ OUT	Meets ventilation & lighting requirements; designated areas used	○ 1 ○ 0.5 ○ 0	○	○	○
		Total Deductions:	2.5			

Comment Addendum to Food Establishment Inspection Report

Establishment Name: SUBWAY - COLLEGE PLAZA

Establishment ID: 3034011655

Date: 02/05/2013

Status Code: A

Category #: III

Email 1:

Email 2:

Email 3:

Location Address: 2808 UNIVERSITY PKWY

City: WINSTON-SALEM State: NC

County: 34 Forsyth Zip: 27106

Wastewater System: ⊗ Municipal/Community ○ On-Site System

Water Supply: ⊗ Municipal/Community ○ On-Site System

Permittee: GURU 1 INC

Telephone:

Temperature Observations

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
tomatoes	walk-in cooler	41						
egg	walk-in cooler	36						
meatballs	serving line	170						
turkey	serving line	41						
soup	serving line	158						
tuna	serving line	41						
tomatoes	refrigerator	42						
turkey	refrigerator	38						

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

2 Ensure the employee health policy is complete and employees are informed of their potential of being excluded and restricted from work. Recommend posting policy.

14 Food debris found on some of the pans. Ensure dishes are cleaned thoroughly to remove food debris. Dishes sent for rewashing during inspection as corrective action. Quat. sanitizer at 3 comp. sink was 400 ppm.

26 Recommend labeling water used for proofer.

39 Ensure wiping cloths are properly stored in sanitizer buckets. Replace soiled water and/or wiping cloths as necessary.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: SUBWAY - COLLEGE PLAZA Establishment ID: 3034011655

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

42 Food debris was found on the clean drainboard. Ensure that the clean side drainboard and sanitizing vat is maintained clean.

45 Replace cracked pan. Replace watering can for proofer with easily cleanable container.

49 Repair cold water handle at the 3 comp. sink. Replace plastic wrap over the drain of the soda machine that is not easily cleanable.

51 Unclog women's toilet.

52 Clean trash under steps to the dumpster.

53 Organize outside enclosure.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: SUBWAY - COLLEGE PLAZA Establishment ID: 3034011655

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: SUBWAY - COLLEGE PLAZA Establishment ID: 3034011655

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell