Food Establishment Inspection Report

Score: 97

Establishment Name: MIYAKO JAPANESE RESTAURANT

Establishment ID: 3034011715

Date: 06 / 13 / 2013 Status Code: A

Time In: 01 : 00 ○ am ⊗ pm Time Out: 03 : 15 ○ am ⊗ pm

Total Time: 2 hrs 15 minutes

Category #: IV

Establishment Type:

Instructions:

1. Fill in the information below for the Food Establishment:

Location Address: 5086 PETERS CREEK PARKWAY

City: WINSTON SALEM

State: NC Zip: 27127

County: 34 Forsyth

Permittee: HORNG HAUYEN, NU HUYNH & CINDY

Telephone:

⊗ Inspection
○ Re-Inspection

Wastewater System:
⊗ Municipal/Community
○ On-Site System

Water Supply:
⊗ Municipal/Community
○ On-Site System

2. Click/fill the appropriate circle For "IN, OUT, N/A, N/O".

IN= In Compliance, OUT= Not in compliance
N/O=Not Observed, N/A= Not Applicable

3. Click/check the appropriate Boxes for CDI and/or R, VR.

CDI= Corrected During Inspection
R= Repeat Violation
VR= Verification Required

4. Continue to page 2 for "Good Retail Practices".

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.
Public Health Interventions: Control measures to prevent foodborne illness or injury.

	Compliance Status		OUT	CDI	R	VR
	Supervision .2652					
1	○ IN ⊗ OUT ○ N/A	PIC Present; Demonstration-Certification by accredited program and perform duties	○ 2 ⊗ 0	○	○	○
	Employee Health .2652					
2	⊗ IN ○ OUT	Management, employees knowledge; responsibilities & reporting	○ 3 ○ 1.5 ○ 0	○	○	○
3	⊗ IN ○ OUT	Proper use of reporting, restriction & exclusion	○ 3 ○ 1.5 ○ 0	○	○	○
	Good Hygienic Practices .2652, .2653					
4	⊗ IN ○ OUT	Proper eating, tasting, drinking, or tobacco use	○ 2 ○ 1 ○ 0	○	○	○
5	⊗ IN ○ OUT	No discharge from eyes, nose, and mouth	○ 1 ○ 0.5 ○ 0	○	○	○
	Preventing Contamination by Hands .2652, .2653, .2655, .2656					
6	⊗ IN ○ OUT	Hands clean & properly washed	○ 4 ○ 2 ○ 0	○	○	○
7	⊗ IN ○ OUT ○ N/O	No bare hand contact with RTE foods or pre-approved alternate procedure properly allowed	○ 3 ○ 1.5 ○ 0	○	● ○	○
8	⊗ IN ○ OUT	Handwashing sinks supplied & accessible	○ 2 ○ 1 ○ 0	○	○	○
	Approved Source .2653, .2655					
9	⊗ IN ○ OUT	Food obtained from approved source	○ 2 ○ 1 ○ 0	○	○	○
10	○ IN ○ OUT ⊗ N/O	Food received at proper temperature	○ 2 ○ 1 ○ 0	○	○	○
11	⊗ IN ○ OUT	Food in good condition, safe & unadulterated	○ 2 ○ 1 ○ 0	○	○	○
12	○ IN ○ OUT ⊗ N/A ○ N/O	Required records available: shellstock tags, parasite destruction	○ 2 ○ 1 ○ 0	○	○	○
	Protection from Contamination .2653, .2654					
13	⊗ IN ○ OUT ○ N/A ○ N/O	Food separated & protected	○ 3 ○ 1.5 ○ 0	○	○	○
14	⊗ IN ○ OUT	Food-contact surfaces: cleaned & sanitized	○ 3 ○ 1.5 ○ 0	○	○	○
15	⊗ IN ○ OUT	Proper disposition of returned, previously served, reconditioned, & unsafe food	○ 2 ○ 1 ○ 0	○	○	○
	Potentially Hazardous Food TIme/Temperature .2653					
16	⊗ IN ○ OUT ○ N/A ○ N/O	Proper cooking time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
17	○ IN ○ OUT ○ N/A ⊗ N/O	Proper reheating procedures for hot holding	○ 3 ○ 1.5 ○ 0	○	○	○
18	○ IN ○ OUT ○ N/A ⊗ N/O	Proper cooling time & temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
19	⊗ IN ○ OUT ○ N/A ○ N/O	Proper hot holding temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
20	⊗ IN ○ OUT ○ N/A ○ N/O	Proper cold holding temperatures	○ 3 ○ 1.5 ○ 0	○	○	○
21	○ IN ⊗ OUT ○ N/A ○ N/O	Proper date marking & disposition	○ 3 ⊗ 1.5 ○ 0	○	○	⊗ ●
22	○ IN ○ OUT ⊗ N/A ○ N/O	Time as a public health control: procedures & records	○ 2 ○ 1 ○ 0	○	○	○
	Consumer Advisory .2653					
23	⊗ IN ○ OUT ○ N/A	Consumer advisory provided for raw or undercooked foods	○ 1 ○ 0.5 ○ 0	○	○	○
	Highly Susceptible Populations .2653					
24	○ IN ○ OUT ⊗ N/A	Pasteurized foods used; prohibited foods not offered	○ 3 ○ 1.5 ○ 0	○	○	○
	Chemical .2653, .2657					
25	⊗ ● IN ○ OUT ○ N/A	Food additives: approved & properly used	○ 1 ○ 0.5 ○ 0	○	○	○
26	⊗ IN ○ OUT ○ N/A	Toxic substances properly identified stored, & used	○ 2 ○ 1 ○ 0	○	○	○
	Conformance with Approved Procedures .2653, .2654, .2658					
27	○ IN ○ OUT ⊗ N/A	Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	○ 2 ○ 1 ○ 0	○	○	○

Food Establishment Inspection Report, continued

Establishment Name: MIYAKO JAPANESE RESTAURANT Establishment ID: 3034011715

Instructions, continued:

5. Click the appropriate circle to fill-in for "IN, OUT, N/A, N/O".

   IN= In Compliance, OUT= Not in compliance
   N/O=Not Observed, N/A= Not Applicable

6. Click or check the appropriate boxes for CDI and/or R, VR

   CDI= Corrected during Inspection
   R= Repeat Violation
   VR= Verification Required

   Calculate the "Total Deductions" and record.

7. Sign and complete "Signature Block".

8. Fill in "No. Of Risk Factor Intervention Violations" and "No. of Repeat Risk Factor Intervention Violations".

9. Continue to page 3 for "Comment Addendum to Food Establishment Inspection Report".

Signature Block:

First	Last
vu	huynh

Person in Charge (Print)

Person in Charge (Signature)

First	Last
M. Craig	Faircloth

Regulatory Authority (Print)

Regulatory Authority (Signature)

Contact Number: (336) 703-3166

Verification Required Date: 06/23/2013

REHS ID: 1938 - Faircloth, Craig

No. of Risk Factor/ Intervention Violations: 2

No. of Repeat Risk Factor/Intervention Violations: _____

Good Retail Practices

Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

	Compliance Status		OUT	CDI	R	VR
	Safe Food and Water	.2653, .2655, .2658				
28	⊗ IN ○ OUT	Pasteurized eggs used where required	○ 1 ○ 0.5 ○ 0	○	○	○
29	⊗ IN ○ OUT	Water and ice from approved source	○ 2 ○ 1 ○ 0	○	○	○
30	○ IN ○ OUT ⊗ N/A	Variance obtained for specialized processing methods	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Temperature Control	.2653, .2654				
31	⊗ IN ○ OUT	Proper cooling methods used; adequate equipment for temperature control	○ 1 ○ 0.5 ○ 0	○	○	○
32	⊗ IN ○ OUT ○ N/A ○ N/O	Plant food properly cooked for hot holding	○ 1 ○ 0.5 ○ 0	○	○	○
33	○ IN ⊗ OUT ○ N/A ○ N/O	Approved thawing methods used	○ 1 ⊗ 0.5 ○ 0	○	○	○
34	⊗ IN ○ OUT	Thermometers provided & accurate	○ 1 ○ 0.5 ○ 0	○	○	○
	Food Identification	.2653				
35	⊗ IN ○ OUT	Food properly labeled: original container	○ 2 ○ 1 ○ 0	○	○	○
	Prevention of Food Contamination	.2652, .2653, .2654, .2656, .2657				
36	⊗ IN ○ OUT	Insects & rodents not present; no unauthorized animals	○ 2 ○ 1 ○ 0	○	○	○
37	⊗ IN ○ OUT	Contamination prevented during food preparation, storage & display	○ 2 ○ 1 ○ 0	○	○	○
38	⊗ IN ○ OUT	Personal cleanliness	○ 1 ○ 0.5 ○ 0	○	○	○
39	⊗ IN ○ OUT	Wiping cloths: properly used & stored	○ 1 ○ 0.5 ○ 0	○	○	○
40	⊗ IN ○ OUT	Washing fruits & vegetables	○ 1 ○ 0.5 ○ 0	○	○	○
	Proper Use of Utensils	.2653, .2654				
41	⊗ IN ○ OUT	In-use utensils: properly stored	○ 1 ○ 0.5 ○ 0	○	○	○
42	⊗ IN ○ OUT	Utensils, equipment & linens: properly stored, dried & handled	○ 1 ○ 0.5 ○ 0	○	○	○
43	⊗ IN ○ OUT	Single-use & single-service articles: properly stored & used	○ 1 ○ 0.5 ○ 0	○	○	○
44	⊗ IN ○ OUT	Gloves used properly	○ 1 ○ 0.5 ○ 0	○	○	○
	Utensils and Equipment	.2653, .2654, .2663				
45	○ IN ⊗ OUT	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	○ 2 ⊗ 1 ○ 0	○	○	○
46	⊗ IN ○ OUT	Warewashing facilities: installed, maintained, & used; test strips	○ 1 ○ 0.5 ○ 0	○	○	○
47	⊗ IN ○ OUT	Non-food contact surfaces clean	○ 1 ○ 0.5 ○ 0	○	○	○
	Physical Facilities	.2654, .2655, .2656				
48	⊗ IN ○ OUT	Hot & cold water available; adequate pressure	○ 2 ○ 1 ○ 0	○	○	○
49	⊗ IN ○ OUT	Plumbing installed; proper backflow devices	○ 2 ○ 1 ○ 0	○	○	○
50	⊗ IN ○ OUT	Sewage & waste water properly disposed	○ 2 ○ 1 ○ 0	○	○	○
51	⊗ IN ○ OUT	Toilet facilities: properly constructed, supplied & cleaned	○ 1 ○ 0.5 ○ 0	○	○	○
52	⊗ IN ○ OUT	Garbage & refuse properly disposed; facilities maintained	○ 1 ○ 0.5 ○ 0	○	○	○
53	○ IN ⊗ OUT	Physical facilities installed, maintained & clean	○ 1 ○ 0.5 ⊗ 0	○	○	○
54	○ IN ⊗ OUT	Meets ventilation & lighting requirements; designated areas used	○ 1 ○ 0.5 ⊗ 0	○	○	○
		Total Deductions:	3			

Comment Addendum to Food Establishment Inspection Report

Establishment Name: MIYAKO JAPANESE RESTAURANT

Establishment ID: 3034011715

Date: 06/13/2013

Status Code: A

Category #: IV

Email 1:

Email 2:

Email 3:

Location Address: 5086 PETERS CREEK PARKWAY

City: WINSTON SALEM State: NC

County: 34 Forsyth Zip: 27127

Wastewater System: ⊗ Municipal/Community ○ On-Site System

Water Supply: ⊗ Municipal/Community ○ On-Site System

Permittee: HORNG HAUYEN, NU HUYNH & CINDY QUACH

Telephone:

Temperature Observations

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
shrimp	reach in cooler	40	salmon	sushi cooler	39			
beef	reach in cooler	41	octopus	sushi cooler	39			
steak	reach in cooler	40	eel	reach in cooler	45			
chicken	reach in cooler	39	rice	walk in cooler	45			
scallops	reach in cooler	40	raw chicken	walk in cooler	44			
salmon	reach in cooler	39	salmon	reach in cooler	41			
egg roll	reach in cooler	40	hot water	3 comp sink	136			
tuna	sushi cooler	38						

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

1 The person in charge of this facility has not completed an approved food safety course. By January 1, 2014 the person in charge of this facility must complete an approved food safety course.

21 A date marking procedure is not currently in place in this facility. A date marking procedure required so that items can be tracked and stock can be properly rotated. Food items must be either used or discarded within 4 days of initial prep.

33 A large amount of shrimp was found thawing both on the counter and under running water in a pan with holes. These are not approved thawing methods. Use the following approved thawing methods: in a solid pan under running water with a temperature of 70 F or less, in refrigeration units, or as part of the cooking process.

45 Replace the rusting shelves in the chemical storage area. Replace the damaged handle on the reach in cooler in the sushi prep area. Recaulk the dirty drain board of the dish machine to the wall with a smooth easily cleanable bead.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: MIYAKO JAPANESE RESTAURANT Establishment ID: 3034011715

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

53 Repair the damaged area of the wall below the urinal in the men's restroom.

54 The lighting level above the dish machine is too low 17 FTC. The required lighting level for this area is 20 Ftc. Replace the nonworkiing light bulbs above the dish machine.

Comment Addendum to Food Establishment Inspection Report

Establishment Name: MIYAKO JAPANESE RESTAURANT Establishment ID: 3034011715

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: MIYAKO JAPANESE RESTAURANT Establishment ID: 3034011715

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell