

Food Establishment Inspection Report

Score: 98

Establishment Name: SALEM ACADEMY CAFETERIA

Establishment ID: 3034060003

Location Address: 500 SALEM AVENUE

Inspection Re-Inspection

City: WINSTON SALEM

State: NC

Date: 03 / 06 / 2018 Status Code: A

Zip: 27101 County: 34 Forsyth

Time In: 12 : 00 am Time Out: 03 : 30 pm

Total Time: 3 hrs 30 minutes

Permittee: SALEM COLLEGE & ACADEMY

Category #: IV

Telephone: (336) 721-2780

FDA Establishment Type: Full-Service Restaurant

Wastewater System: Municipal/Community On-Site System

No. of Risk Factor/Intervention Violations: 1

Water Supply: Municipal/Community On-Site Supply

No. of Repeat Risk Factor/Intervention Violations: _____

Foodborne Illness Risk Factors and Public Health Interventions								
Risk factors: Contributing factors that increase the chance of developing foodborne illness.								
Public Health Interventions: Control measures to prevent foodborne illness or injury.								
IN	OUT	N/A	NO	Compliance Status	OUT	CDI	R	VR
Supervision .2652								
1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	PIC Present; Demonstration-Certification by accredited program and perform duties	2	0		
Employee Health .2652								
2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Management, employees knowledge; responsibilities & reporting	3	13	0	
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper use of reporting, restriction & exclusion	3	13	0	
Good Hygienic Practices .2652, .2653								
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper eating, tasting, drinking, or tobacco use	2	1	0	
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No discharge from eyes, nose or mouth	1	03	0	
Preventing Contamination by Hands .2652, .2653, .2655, .2656								
6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hands clean & properly washed	4	2	0	
7	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No bare hand contact with RTE foods or pre-approved alternate procedure properly followed	3	13	0	
8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Handwashing sinks supplied & accessible	2	1	0	
Approved Source .2653, .2655								
9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food obtained from approved source	2	1	0	
10	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Food received at proper temperature	2	1	0	
11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food in good condition, safe & unadulterated	2	1	0	
12	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Required records available: shellstock tags, parasite destruction	2	1	0	
Protection from Contamination .2653, .2654								
13	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food separated & protected	3	13	0	
14	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food-contact surfaces: cleaned & sanitized	3	13	0	
15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper disposition of returned, previously served, reconditioned, & unsafe food	2	1	0	
Potentially Hazardous Food Time/Temperature .2653								
16	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Proper cooking time & temperatures	3	13	0	
17	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Proper reheating procedures for hot holding	3	13	0	
18	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper cooling time & temperatures	3	13	0	
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Proper hot holding temperatures	3	13	0	
20	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper cold holding temperatures	3	13	0	
21	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper date marking & disposition	3	13	0	
22	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Time as a public health control: procedures & records	2	1	0	
Consumer Advisory .2653								
23	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Consumer advisory provided for raw or undercooked foods	1	03	0	
Highly Susceptible Populations .2653								
24	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pasteurized foods used; prohibited foods not offered	3	13	0	
Chemical .2653, .2657								
25	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Food additives: approved & properly used	1	03	0	
26	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Toxic substances properly identified stored, & used	2	1	0	
Conformance with Approved Procedures .2653, .2654, .2658								
27	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	2	1	0	

Good Retail Practices								
Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.								
IN	OUT	N/A	NO	Compliance Status	OUT	CDI	R	VR
Safe Food and Water .2653, .2655, .2658								
28	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pasteurized eggs used where required	1	03	0	
29	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water and ice from approved source	2	1	0	
30	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Variance obtained for specialized processing methods	1	03	0	
Food Temperature Control .2653, .2654								
31	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper cooling methods used; adequate equipment for temperature control	1	03	0	
32	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Plant food properly cooked for hot holding	1	03	0	
33	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved thawing methods used	1	03	0	
34	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Thermometers provided & accurate	1	03	0	
Food Identification .2653								
35	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Food properly labeled: original container	2	1	0	
Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657								
36	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Insects & rodents not present; no unauthorized animals	2	1	0	
37	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Contamination prevented during food preparation, storage & display	2	1	0	
38	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personal cleanliness	1	03	0	
39	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wiping cloths: properly used & stored	1	03	0	
40	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Washing fruits & vegetables	1	03	0	
Proper Use of Utensils .2653, .2654								
41	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	In-use utensils: properly stored	1	03	0	
42	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Utensils, equipment & linens: properly stored, dried & handled	1	03	0	
43	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Single-use & single-service articles: properly stored & used	1	03	0	
44	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gloves used properly	1	03	0	
Utensils and Equipment .2653, .2654, .2663								
45	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	2	1	0	
46	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Warewashing facilities: installed, maintained, & used; test strips	1	03	0	
47	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Non-food contact surfaces clean	1	03	0	
Physical Facilities .2654, .2655, .2656								
48	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hot & cold water available; adequate pressure	2	1	0	
49	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Plumbing installed; proper backflow devices	2	1	0	
50	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sewage & waste water properly disposed	2	1	0	
51	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Toilet facilities: properly constructed, supplied & cleaned	1	03	0	
52	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Garbage & refuse properly disposed; facilities maintained	1	03	0	
53	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Physical facilities installed, maintained & clean	1	03	0	
54	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Meets ventilation & lighting requirements; designated areas used	1	03	0	
Total Deductions:					2			



Comment Addendum to Food Establishment Inspection Report

Establishment Name: SALEM ACADEMY CAFETERIA
 Location Address: 500 SALEM AVENUE
 City: WINSTON SALEM State: NC
 County: 34 Forsyth Zip: 27101
 Wastewater System: Municipal/Community On-Site System
 Water Supply: Municipal/Community On-Site System
 Permittee: SALEM COLLEGE & ACADEMY
 Telephone: (336) 721-2780

Establishment ID: 3034060003
 Inspection Re-Inspection Date: 03/06/2018
 Comment Addendum Attached? Status Code: A
 Category #: IV
 Email 1: diningservices@salem.edu
 Email 2:
 Email 3:

Temperature Observations

Effective January 1, 2019 Cold Holding will change to 41 degrees

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Julie Voss	05/31/22	0	Taco meat	Taco bar	152	Pork roast	Walk-in	37
Hot water	3 comp sink	158	Rice	Taco bar	165	Risotto	Walk-in	40
Hot water	Dish machine	165	Black beans	Taco bar	160	Air temp	Breakfast cooler	35
Quat sani.	Buckets	150	Corn	Taco bar	154	Spinach	Salad cooler	43
Quat sani.	Chemical tower	200	Mixed fruit	Salad bar	44	Tuna salad	Salad cooler	40
Sausages	Cooling	39	Eggs	Salad bar	45	Tomatoes	Salad cooler	43
Lettuce	Taco bar	40	Chicken	Walk-in	38	Taco meat	Hot box	122
Chicken	Taco bar	164	Peas	Walk-in	37	Corn	Hot box	141

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 19 3-501.16 (A)(1) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - P- 0 pts. One pan of cooked taco meat held at 122F on hot box. Person in charge noticed temperature for hot box was set below 135F. Potentially hazardous food shall be held at 135F and above. CDI- Taco meat reheated to 171F. ✓ Spell
- 37 3-306.11 Food Display-Preventing Contamination by Consumers - P- At beginning of inspection, mobile buffet cooler for tacos were positioned near steam wells and sides of buffet were not protected from contamination. Food on display shall be protected from contamination by the use of packaging; counter, service line, or salad bar food guards; display cases; or other effective means. CDI- Buffet was placed back to original location.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment - C- 0 pts. Repair broken stopper at prep sink near chemical tower. Repair/replace spring hook at prep sink near chemical tower as inner casing is exposed. Equipment shall be maintained in good repair.

Lock Text



Person in Charge (Print & Sign): Julie *First* Voss *Last*

Regulatory Authority (Print & Sign): *Eva* *First* Robert *Last* REHS

Julie Voss
Robert REHS

REHS ID: 2551 - Robert, Eva

Verification Required Date: / /

REHS Contact Phone Number: (3 3 6) 7 0 3 - 3 1 3 5



North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program
 DHHS is an equal opportunity employer.



Comment Addendum to Food Establishment Inspection Report

Establishment Name: SALEM ACADEMY CAFETERIA

Establishment ID: 3034060003

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 46 4-302.14 Sanitizing Solutions, Testing Devices - PF- Establishment's quaternary ammonium test strips were faded out and did not contain concentration range. A test kit or other device that accurately measures the concentration in ppm of sanitizing solutions shall be provided. CDI- EHS provided test kit to person in charge. Contact Ecolab for more test strips.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - C- 0 pts. Clean black carts throughout establishment. Nonfood-contact surfaces shall be kept clean.
- 53 6-201.11 Floors, Walls and Ceilings-Cleanability - C- Seal ceiling pipe penetrations in men's restroom, dry storage room and any areas where needed. Seal chipping ceiling paint in dry storage room. Physical facilities shall be easily cleanable.// 6-501.12 Cleaning, Frequency and Restrictions - C- General floor cleaning is needed throughout especially underneath equipment. Physical facilities shall be kept clean.
- 54 6-303.11 Intensity-Lighting - C- 0 pts. Low lighting measured at men's toilet at 8 foot candles. Lighting shall be at least 20 foot candles at restroom fixtures. Increase lighting.// 6-501.14 Cleaning Ventilation Systems, Nuisance and Discharge Prohibition - C- Clean ceiling AC vents in restrooms to remove dust buildup. Intake and exhaust air ducts shall be cleaned and filters changed so they are not a source of contamination by dust, dirt, and other materials.



Comment Addendum to Food Establishment Inspection Report

Establishment Name: SALEM ACADEMY CAFETERIA

Establishment ID: 3034060003

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

✓
Spell



Comment Addendum to Food Establishment Inspection Report

Establishment Name: SALEM ACADEMY CAFETERIA

Establishment ID: 3034060003

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

✓
Spell



Comment Addendum to Food Establishment Inspection Report

Establishment Name: SALEM ACADEMY CAFETERIA

Establishment ID: 3034060003

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

✓
Spell

