Food Establishment Inspection Report

Score: 95.5

Establishment Name: BRADFORD VILLAGE WEST
Establishment ID: 3034160004
Location Address: 602 PINEY GROVE RD
☒ Inspection ☐ Re-Inspection
City: KERNERSVILLE State: NC
Date: 09 / 25 / 2013 Status Code: A
Zip: 27284 County: 34 Forsyth
Time In: 09 : 00 ⊗ am ○ pm Time Out: 11 : 15 ⊗ am ○ pm
Permittee: BRADFORD VILLAGE WEST, LLC
Total Time: 2 hrs 15 minutes
Telephone:
Category #: IV
Wastewater System: ☒ Municipal/Community ☐ On-Site System
FDA Establishment Type:
Water Supply: ☒ Municipal/Community ☐ On-Site Supply
No. of Risk Factor/Intervention Violations: 0
No. of Repeat Risk Factor/Intervention Violations:

Foodborne Illness Risk Factors and Public Health Interventions

Risk factors: Contributing factors that increase the chance of developing foodborne illness.
Public Health Interventions: Control measures to prevent foodborne illness or injury.

	IN	OUT	N/A	N/O	Compliance Status	OUT			CDI	R	VR
Supervision .2652											
1	☒	☐	☐		PIC Present; Demonstration-Certification by accredited program and perform duties	2		0	☐	☐	☐
Employee Health .2652											
2	☒	☐			Management, employees knowledge; responsibilities & reporting	3	1.5	0	☐	☐	☐
3	☒	☐			Proper use of reporting, restriction & exclusion	3	1.5	0	☐	☐	☐
Good Hygienic Practices .2652, .2653											
4	☒	☐			Proper eating, tasting, drinking, or tobacco use	2	1	0	☐	☐	☐
5	☒	☐			No discharge from eyes, nose or mouth	1	0.5	0	☐	☐	☐
Preventing Contamination by Hands .2652, .2653, .2655, .2656											
6	☒	☐			Hands clean & properly washed	4	2	0	☐	☐	☐
7	☐	☐	☐	☒	No bare hand contact with RTE foods or pre-approved alternate procedure properly followed	3	1.5	0	☐	☐	☐
8	☒	☐			Handwashing sinks supplied & accessible	2	1	0	☐	☐	☐
Approved Source .2653, .2655											
9	☒	☐			Food obtained from approved source	2	1	0	☐	☐	☐
10	☐	☐		☒	Food received at proper temperature	2	1	0	☐	☐	☐
11	☒	☐			Food in good condition, safe & unadulterated	2	1	0	☐	☐	☐
12	☐	☐	☒	☐	Required records available: shellstock tags, parasite destruction	2	1	0	☐	☐	☐
Protection from Contamination .2653, .2654											
13	☒	☐	☐	☐	Food separated & protected	3	1.5	0	☐	☐	☐
14	☒	☐			Food-contact surfaces: cleaned & sanitized	3	1.5	0	☐	☐	☐
15	☒	☐			Proper disposition of returned, previously served, reconditioned, & unsafe food	2	1	0	☐	☐	☐
Potentially Hazardous Food TIme/Temperature .2653											
16	☐	☐	☐	☒	Proper cooking time & temperatures	3	1.5	0	☐	☐	☐
17	☐	☐	☐	☒	Proper reheating procedures for hot holding	3	1.5	0	☐	☐	☐
18	☒	☐	☐	☐	Proper cooling time & temperatures	3	1.5	0	☐	☐	☐
19	☐	☐	☐	☒	Proper hot holding temperatures	3	1.5	0	☐	☐	☐
20	☒	☐	☐	☐	Proper cold holding temperatures	3	1.5	0	☐	☐	☐
21	☒	☐	☐	☐	Proper date marking & disposition	3	1.5	0	☐	☐	☐
22	☐	☐	☒	☐	Time as a public health control: procedures & records	2	1	0	☐	☐	☐
Consumer Advisory .2653											
23	☐	☐	☒		Consumer advisory provided for raw or undercooked foods	1	0.5	0	☐	☐	☐
Highly Susceptible Populations .2653											
24	☒	☐	☐		Pasteurized foods used; prohibited foods not offered	3	1.5	0	☐	☐	☐
Chemical .2653, .2657											
25	☒	☐	☐		Food additives: approved & properly used	1	0.5	0	☐	☐	☐
26	☒	☐	☐		Toxic substances properly identified stored, & used	2	1	0	☐	☐	☐
Conformance with Approved Procedures .2653, .2654, .2658											
27	☐	☐	☒		Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	2	1	0	☐	☐	☐

Good Retail Practices

Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

	IN	OUT	N/A	N/O	Compliance Status	OUT			CDI	R	VR
Safe Food and Water .2653, .2655, .2658											
28	☒	☐	☐		Pasteurized eggs used where required	1	0.5	0	☐	☐	☐
29	☒	☐			Water and ice from approved source	2	1	0	☐	☐	☐
30	☐	☐	☒		Variance obtained for specialized processing methods	1	0.5	0	☐	☐	☐
Food Temperature Control .2653, .2654											
31	☐	☒			Proper cooling methods used; adequate equipment for temperature control	1	☒	0	☐	☐	☐
32	☐	☐	☐	☒	Plant food properly cooked for hot holding	1	0.5	0	☐	☐	☐
33	☐	☐	☐	☒	Approved thawing methods used	1	0.5	0	☐	☐	☐
34	☐	☒			Thermometers provided & accurate	1	☒	0	☐	☐	☐
Food Identification .2653											
35	☒	☐			Food properly labeled: original container	2	1	0	☐	☐	☐
Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657											
36	☒	☐			Insects & rodents not present; no unauthorized animals	2	1	0	☐	☐	☐
37	☒	☐			Contamination prevented during food preparation, storage & display	2	1	0	☐	☐	☐
38	☒	☐			Personal cleanliness	1	0.5	0	☐	☐	☐
39	☒	☐			Wiping cloths: properly used & stored	1	0.5	0	☐	☐	☐
40	☒	☐	☐		Washing fruits & vegetables	1	0.5	0	☐	☐	☐
Proper Use of Utensils .2653, .2654											
41	☐	☒			In-use utensils: properly stored	1	☒	0	☐	☐	☐
42	☐	☒			Utensils, equipment & linens: properly stored, dried & handled	1	0.5	☒	☐	☐	☐
43	☒	☐			Single-use & single-service articles: properly stored & used	1	0.5	0	☐	☐	☐
44	☒	☐			Gloves used properly	1	0.5	0	☐	☐	☐
Utensils and Equipment .2653, .2654, .2663											
45	☐	☒			Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	☒	1	0	☐	☐	☐
46	☒	☐			Warewashing facilities: installed, maintained, & used; test strips	1	0.5	0	☐	☐	☐
47	☒	☐			Non-food contact surfaces clean	1	0.5	0	☐	☐	☐
Physical Facilities .2654, .2655, .2656											
48	☒	☐	☐		Hot & cold water available; adequate pressure	2	1	0	☐	☐	☐
49	☒	☐			Plumbing installed; proper backflow devices	2	1	0	☐	☐	☐
50	☒	☐			Sewage & waste water properly disposed	2	1	0	☐	☐	☐
51	☒	☐	☐		Toilet facilities: properly constructed, supplied & cleaned	1	0.5	0	☐	☐	☐
52	☒	☐			Garbage & refuse properly disposed; facilities maintained	1	0.5	0	☐	☐	☐
53	☐	☒			Physical facilities installed, maintained & clean	1	☒	0	☐	☐	☐
54	☐	☒			Meets ventilation & lighting requirements; designated areas used	1	☒	0	☐	☐	☐
					Total Deductions:	4.5					

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BRADFORD VILLAGE WEST

Establishment ID: 3034160004

Location Address: 602 PINEY GROVE RD

☒ Inspection ☐ Re-Inspection Date: 09/25/2013

City: KERNERSVILLE State: NC

Status Code: A

County: 34 Forsyth Zip: 27284

Category #: IV

Wastewater System: ☒ Municipal/Community ☐ On-Site System

Water Supply: ☒ Municipal/Community ☐ On-Site System

Permittee: BRADFORD VILLAGE WEST, LLC

Email 1:

Telephone:

Email 2:

Email 3:

Temperature Observations

Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
green peas	cooler	44						
liqued eggs	cooler	44						
gravy	cooler	81						
beef tips and	cooler	45						
beef stew	cooler	44						

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

31 Gravy was in a tightly sealed container, the temperature was 81F. This product will not cool quickly in a sealed container. To cool properly food shall be cooled from 135F to 70F in 2 hours using approved methods, then cool food from 70F to 41F in 4 hours in uncovered or partly covered containers.
3-501.15 Cooling Methods

Spell

34 Staff could not locate a 0F to 220F thermometer in the kitchen. You need a food thermometer to check food temperatures.
4-302.12 Food Temperature Measuring Devices

41 The handle of the ice scoop was in the ice in the ice Machine. Store ice scoop out of ice or in the ice with the handle not touching the ice. 3-304.12 In-Use Utensils, Between-Use Storage

Person in Charge (Print & Sign): *First* Amanda *Last* Smith

Regulatory Authority (Print & Sign): *First* Clark *Last* Sizemore

REHS ID: 944 - Sizemore, Clark

Verification Required Date: ___ / ___ / _____

REHS Contact Phone Number: (336) 703-3128

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

42 Need to air dry some bowls used for patients.
4-901.11 Equipment and Utensils, Air-Drying Required

45 The three compartment sink is not approved due to construction. The domestic two compartment sink is not an approved sink. The cabinet on this domestic sink is in poor repair and needs to be repaired and sealed to the wall. Knobs are missing from the flat top grill. The wire shelving in dry storage is rusty and needs to be painted with an approved food service paint check with a restaurant equipment company to obtain the correct paint. Hand sink in kitchen cracked need to replace.
4-201.11 Equipment and Utensils-Durability and Strength
4-501.11 Good Repair and Proper Adjustment-Equipment
4-202.11 Food-Contact Surfaces-Cleanability

53 Need to clean floor under three compartment sink.
6-501.12 Cleaning, Frequency and Restrictions

54 Dust on the hood filters, need to clean more often. Low light at stove.
6-303.11 Intensity-Lighting
4-202.18 Ventilation Hood Systems, Filters

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: BRADFORD VILLAGE WEST Establishment ID: 3034160004

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell