Food Establishment Inspection Report

	тересион пороле	
Establishment Name: SKAT	TE HAVEN ROLLER RINK	Establishment ID: 3034010403
Location Address: 120 HOOD City: WINSTON SALEM Zip: 27104 Cou Permittee: UNKN Telephone: (336) 765-1041	State: North Carolina nty: 34 Forsyth spection	Date: 05/23/2025 Status Code: Time In: 6:35 PM Time Out: _8 Category#: II FDA Establishment Type:
Municipal/Community Water Supply:	On-Site System	No. of Risk Factor/Intervention Violation No. of Repeat Risk Factor/Intervention Vio
Municipal/Community	On-Site Supply	

Date: 05/23/2025	Status Code: A
Time In: 6:35 PM	Time Out: 8:10 PM
Category#: II	
FDA Establishment Ty	pe:
No. of Risk Factor/Inte	ervention Violations: 0
No. of Repeat Risk Fac	tor/Intervention Violations: 0

Score: 98

		Ø) N	lur	nicipal/Community On-Site Supply						
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury											
C	ò	mp	lia	nc	e Status	OUT			CDI	R	۷R
S	up	ervis	ion		.2652						
1	Ņ	оυт	N/A		PIC Present, demonstrates knowledge, & performs duties	1		0			
2	×	(оит	N/A		Certified Food Protection Manager	1		0			
Employee Health .2652											
3	ΤŤ	(оит	Т		Management, food & conditional employee; knowledge, responsibilities & reporting	2	1	0			
4	įχ	(OUT	t		Proper use of reporting, restriction & exclusion	3	1.5	0			
5	ŀ.	Оυт	-		Procedures for responding to vomiting & diarrheal events	1	0.5	0			
G	00	d Hy	gie	nic	Practices .2652, .2653						
		(OUT			Proper eating, tasting, drinking or tobacco use	1	0.5	0			
7	X	OUT			No discharge from eyes, nose, and mouth	1	0.5	0			
Pi			_	Con	tamination by Hands .2652, .2653, .2655, .265	6					
8	Ņ	OUT			Hands clean & properly washed	4	2	0			
9	M	ОUТ	N/A	N/O	No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	4	2	0			
10	M	ОUТ	N/A		Handwashing sinks supplied & accessible	2	1	0			
Α	pp	rove	d S	our	ce .2653, .2655						
11	įχ	(оит	Т	Π	Food obtained from approved source	2	1	0			
2	IN	ОUТ		N)(o	Food received at proper temperature	2	1	0			
3	×	OUT			Food in good condition, safe & unadulterated	2	1	0			
4	IN	оит	≫	N/O	Required records available: shellstock tags, parasite destruction	2	1	0			
Pi	rot	ectio	on f	rom	Contamination .2653, .2654						
15	ıλ	(оит	N/A	N/O	Food separated & protected	3	1.5	0			Г
	÷	OUT	-		Food-contact surfaces: cleaned & sanitized	3	1.5	0			
7	M	ОUТ			Proper disposition of returned, previously served, reconditioned & unsafe food	2	1	0			
Р	ote	ntia	lly I	laza	ardous Food Time/Temperature .2653						
					Proper cooking time & temperatures	3	1.5	0			
9	IN	ОUТ	N/A	ν χ φ		3	1.5	0			
		ОUТ				3	1.5	-			
	+-	ОUТ	-	· `		3	1.5	-			
2	1-	OUT	-	-		3	1.5	0			
_	Ť	ООТ	-	\vdash	Time as a Public Health Control; procedures &	3	1.5	0			
	L		1	<u> </u>	records sory .2653	Ľ					
_	т	_	Т	$\overline{}$	Consumer advisory provided for raw/	Т					
	L	оит	_	<u> </u>	undercooked foods	1	0.5	0			
Н	igh	ıly S	usc	ept	Destructions .2653	_					
26	IN	оит	١X		Pasteurized foods used; prohibited foods not offered	3	1.5	0			L
		mica			.2653, .2657						
	-	ουτ	1.	-	Food additives: approved & properly used	1	0.5	0			
28	X	Ουτ	N/A	_	Toxic substances properly identified stored & used	2	1	0			L
C	on	form	and	e w	rith Approved Procedures .2653, .2654, .2658	_					
29	IN	оит	ŊX	4	Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan	2	1	0			

					Good Retail Practices						
Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,											
and physical objects into foods.											
Compliance Status			OUT		Γ	CDI	R	۷R			
Safe Food and Water .2653, .2655, .2658											
30	IN	OUT	Ŋ (A		Pasteurized eggs used where required	1	0.5	0			
31	X	OUT			Water and ice from approved source	2	1	0			
32	IN	оит	1)X A		Variance obtained for specialized processing methods	2	1	0			
F	ood	Ten	nper	atur	re Control .2653, .2654						
33	Ж	оит			Proper cooling methods used; adequate equipment for temperature control	1	0.5	0			
34	IN	OUT	n)X(A	N/O	Plant food properly cooked for hot holding	1	0.5	0		Н	
35	X	оит	N/A	N/O	Approved thawing methods used	1	0.5	0		П	
36	IN	о) (т			Thermometers provided & accurate	1	03/5	0			Χ
F	ood	Ider	ntific	atio	n .2653						
37	X	OUT			Food properly labeled: original container	2	1	0			
Pı	reve	entio	n of	Foo	od Contamination .2652, .2653, .2654, .2656, .26	57					
38	M	оит			Insects & rodents not present; no unauthorized animals	2	1	0			
39	×	оит			Contamination prevented during food preparation, storage & display	2	1	0			
40	M	OUT			Personal cleanliness	1	0.5	0		Н	
41	M	OUT			Wiping cloths: properly used & stored	1	0.5	0		П	
42	IN	оит	ŊΧĄ		Washing fruits & vegetables	1	0.5	0			
Pı	rop	er Us	se o	f Ute	ensils .2653, .2654			_			
43	M	оит			In-use utensils: properly stored	1	0.5	0			
44	M	оит			Utensils, equipment & linens: properly stored, dried & handled	1	0.5	0			
45	×	оит			Single-use & single-service articles: properly stored & used	1	0.5	0			
46	M	OUT			Gloves used properly	1	0.5	0			
U	ten	sils a	and	Equ	ipment .2653, .2654, .2663						
47	IN	о) (т			Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed & used	1	ð%	0			
48	M	оит			Warewashing facilities: installed, maintained & used; test strips	1	0.5	0			
49	M	оит			Non-food contact surfaces clean	1	0.5	0		П	
PI	hys	ical	Faci	litie	s .2654, .2655, .2656						
50	M	OUT	N/A		Hot & cold water available; adequate pressure	1	0.5	0			
51		о∕х(т			Plumbing installed; proper backflow devices	2	Ж	0		Χ	
52	M	OUT		Ш	Sewage & wastewater properly disposed	2	1	0		Ц	
53	M	оит	N/A		Toilet facilities: properly constructed, supplied & cleaned	1	0.5	0			
		оит			Garbage & refuse properly disposed; facilities maintained	1	0.5			Ш	
55	IN	о) (т			Physical facilities installed, maintained & clean	1	0.5	X		Ц	
56	IN	о)(т			Meets ventilation & lighting requirements; designated areas used	1	0.5	X			
L	TOTAL DEDUCTIONS					2					






Comment Addendum to Food Establishment Inspection Report Establishment ID: 3034010403 Establishment Name: SKATE HAVEN ROLLER RINK Location Address: 120 HOOD DRIVE Date: 05/23/2025 City: WINSTON SALEM State: NC Educational Visit Status Code: A Zip: 27104 County: 34 Forsyth Category #: II Comment Addendum Attached? Email 1:dwoody2278@gmail.com Water Supply: X Municipal/Community ☐ On-Site System Permittee: UNKN Email 2:skatelandusaclemmons@mac.com Telephone: (336) 765-1041 Email 3: Temperature Observations Temp Item/Location Temp Item/Location Temp Item/Location 38.0 Ambient/upright cooler Hot Water/3-compartment sink 123.0 100.0 C. Sani/3-compartment sink First Last Person in Charge (Print & Sign): Alexis Haymore Last Regulatory Authority (Print & Sign): Victoria Murphy Verification Dates: Priority: Priority Foundation: 06/02/2025 Core: REHS ID:2795 - Murphy, Victoria

REHS Contact Phone Number: (336) 703-384

Authorize final report to be received via Email:





Comment Addendum to Inspection Report

Establishment Name: SKATE HAVEN ROLLER RINK **Establishment ID:** 3034010403

Date: 05/23/2025 Time In: 6:35 PM Time Out: 8:10 PM

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 36 4-302.12 Food Temperature Measuring Devices-PF: There was no thermometer in the facility. (A) Food temperature measuring devices shall be provided and readily accessible for use in ensuring attainment and maintenance of food temperatures as specified under Chapter 3. VR: A verification is required by 6/2/25. Contact Victoria Murphy at (336)703-3814 or murphyvl@forsyth.cc.
- 47 4-502.11 (A) and (C) Good Repair and Calibration-Utensils and Temperature and Pressure Measuring Devices-C: Repair/replace the thermometers on the upright cooler and freezer.
- 51 5-205.15 System Maintained in Good Repair-REPEAT-C: Tighten the faucet at the handwashing sink in the kitchen area/ the santizer basin is incapable of maintaining sanitizer after the sink is filled. A plumbing system shall be maintained in good repair.
- 55 6-501.11 Repairing Premises, Structures, Attachments, and Fixtures Methods-REPEAT-C:Recaulk around the toilets in all restrooms. Physical facilities shall be maintained in good repair.
- 56 6-303.11 Intensity Lighting-C: Increase the lighting in the last stalls of the boy's and girl's toilet rooms. The light intensity shall be: (B) At least 215 lux (20 foot candles): (3) At a distance of 75 cm (30 inches) above the floor in toilet rooms.